

Publikationsliste Thomas Heidegger, 27.04.2023

1. Heidegger T, Oberle F. Endotracheal Tube Exchange. *N Engl J Med* 2023; 388(11):e34. doi: 10.1056/NEJMvcm2020253.
2. Koster K-L, Björklund C, Fenner S, Flierler WJ, Laupheimer M, Burri K et al. Patient satisfaction with divided anesthesia care. *Anaesthesiologie* 2023; 72(2):97–105. doi: 10.1007/s00101-022-01192-x.
3. Bello C, Filipovic MG, Anderegg L, Heidegger T, Urman RD, Luedi MM. Building a well-balanced culture in the perioperative setting. *Best Pract Res Clin Anaesthesiol* 2022; 36(2):247–56. doi: 10.1016/j.bpa.2022.05.003.
4. Crisan M-I, Lorenzi D de, Heinle A, Heidegger T. Airway management for surgical tracheotomy—a common problem with unusual presentation. *Anaesthesiologie* 2022; 71(9):706–8. doi: 10.1007/s00101-022-01121-y.
5. Heidegger T. Management of the Difficult Airway. *N Engl J Med* 2021; 384(19):1836–47. doi: 10.1056/NEJMra1916801.
6. Heidegger T. Management of the Difficult Airway. Reply. *N Engl J Med* 2021; 385(7):668–9. doi: 10.1056/NEJMc2109513.
7. Heidegger T. Airway management lessons from case reports of negative outcomes. Comment on *Br J Anaesth*; 125: e168–70. *Br J Anaesth* 2020; 125(3):e307–e309. doi: 10.1016/j.bja.2020.06.042.
8. Schäuble JC, Heidegger T. Erratum to: Management of the difficult airway : Overview of the current guidelines. *Anaesthesist* 2019; 68(1):29. doi: 10.1007/s00101-018-0507-5.
9. Sinmyee S, Pandit VJ, Pascual JM, Dahan A, Heidegger T, Kreienbühl G et al. Legal and ethical implications of defining an optimum means of achieving unconsciousness in assisted dying. *Anaesthesia* 2019; 74(5):630–7. doi: 10.1111/anae.14532.
10. Berning V, Heidegger T, Laupheimer M, Nübling M. Patient satisfaction and quality of recovery. *Anaesthesia* 2018; 73(4):521–2. doi: 10.1111/anae.14258.
11. Schäuble JC, Heidegger T. Management of the difficult airway : Overview of the current guidelines. *Anaesthesist* 2018; 67(10):725–37. doi: 10.1007/s00101-018-0492-8.
12. Berning V, Laupheimer M, Nübling M, Heidegger T. Influence of quality of recovery on patient satisfaction with anaesthesia and surgery: a prospective observational cohort study. *Anaesthesia* 2017; 72(9):1088–96. doi: 10.1111/anae.13906.
13. Heidegger T, Schnider TW. "Awake" or "Sedated": Safe Flexible Bronchoscopic Intubation of the Difficult Airway. *Anesth Analg* 2017; 124(3):996–7. doi: 10.1213/ANE.0000000000001748.
14. Pandit JJ, Heidegger T. Airway assessment/management paradigm - does a spectral or a binary approach fit better? A reply. *Anaesthesia* 2017; 72(8):1037–8. doi: 10.1111/anae.13992.
15. Pandit JJ, Heidegger T. Is Plan A OK in the 'plausibly difficult' airway? A reply. *Anaesthesia* 2017; 72(6):785–6. doi: 10.1111/anae.13915.
16. Pandit JJ, Heidegger T. Putting the 'point' back into the ritual: a binary approach to difficult airway prediction. *Anaesthesia* 2017; 72(3):283–8. doi: 10.1111/anae.13720.
17. Schaeuble JC, Heidegger T. SSAI practice guideline on pre-hospital airway management: emergency surgical airway - keep it safe and simple. *Acta Anaesthesiol Scand* 2017; 61(1):125–6. doi: 10.1111/aas.12819.
18. Heidegger T. Difficult Airway Society guidelines 2015: what about the anticipated difficult airway? *Anaesthesia* 2016; 71(4):467–8. doi: 10.1111/anae.13420.
19. Heidegger T. Time to stand up for fiberoptic intubation. *Anaesthesia* 2016; 71(5):592–3. doi: 10.1111/anae.13432.
20. Neumayr A, Gnirke A, Schaeuble JC, Ganter MT, Sparr H, Zoll A et al. Patient satisfaction in out-of-hospital emergency care: a multicentre survey. *Eur J Emerg Med* 2016; 23(5):370–4. doi: 10.1097/MEJ.0000000000000264.
21. Norris A, Heidegger T. Limitations of videolaryngoscopy. *Br J Anaesth* 2016; 117(2):148–50. doi: 10.1093/bja/aew122.
22. Flierler WJ, Nübling M, Kasper J, Heidegger T. Implementation of shared decision making in anaesthesia and its influence on patient satisfaction. *Anaesthesia* 2013; 68(7):713–22. doi: 10.1111/anae.12196.
23. Heidegger T, Saal D, Nübling M. Patient satisfaction with anaesthesia - Part 1: satisfaction as part of outcome - and what satisfies patients. *Anaesthesia* 2013; 68(11):1165–72. doi: 10.1111/anae.12347.
24. Nübling M, Saal D, Heidegger T. Patient satisfaction with anaesthesia - Part 2: construction and quality assessment of questionnaires. *Anaesthesia* 2013; 68(11):1173–8. doi: 10.1111/anae.12348.
25. Heidegger T. Extubation of the difficult airway--an important but neglected topic. *Anaesthesia* 2012; 67(3):213–5. doi: 10.1111/j.1365-2044.2011.07043.x.
26. Heidegger T. Videos in clinical medicine. Fiberoptic intubation. *N Engl J Med* 2011; 364(20):e42. doi: 10.1056/NEJMvcm0906443.
27. Saal D, Heidegger T, Nuebling M, Germann R. Does a postoperative visit increase patient satisfaction with anaesthesia care? *Br J Anaesth* 2011; 107(5):703–9. doi: 10.1093/bja/aer261.
28. Heidegger T. Airway management: standardization, simplicity, and daily practice are the keys to success. *Anesth Analg* 2010; 111(4):1073; author reply 1073–4. doi: 10.1213/ANE.0b013e3181ec312a.

29. Heidegger T, Nuebling M, Saal D, Kreienbühl G. Patient-centred outcomes in clinical research: does it really matter? *Br J Anaesth* 2008; 100(1):1–3. doi: 10.1093/bja/aem351.
30. Jeske H-C, Borovicka J, Goedecke A von, Tiefenthaler W, Hohlrieder M, Heidegger T et al. Preoperative administration of esomeprazole has no influence on frequency of refluxes. *J Clin Anesth* 2008; 20(3):191–5. doi: 10.1016/j.jclinane.2007.10.007.
31. Heidegger T, Starzyk L, Villiger CR, Schumacher S, Studer R, Peter B et al. Fiberoptic intubation and laryngeal morbidity: a randomized controlled trial. *Anesthesiology* 2007; 107(4):585–90. doi: 10.1097/01.anes.0000281925.61143.b5.
32. Heidegger T, Saal D, Nuebling M. Patient satisfaction with anaesthesia care: what is patient satisfaction, how should it be measured, and what is the evidence for assuring high patient satisfaction? *Best Pract Res Clin Anaesthesiol* 2006; 20(2):331–46. doi: 10.1016/j.bpa.2005.10.010.
33. Hofstetter C, Scheller B, Flondor M, Gerig HJ, Heidegger T, Brambrink A et al. Videolaryngoscopy versus direct laryngoscopy for elective endotracheal intubation. *Anaesthesist* 2006; 55(5):535–40. doi: 10.1007/s00101-006-0998-3.
34. Kaplan MB, Hagberg CA, Ward DS, Brambrink A, Chhibber AK, Heidegger T et al. Comparison of direct and video-assisted views of the larynx during routine intubation. *J Clin Anesth* 2006; 18(5):357–62. doi: 10.1016/j.jclinane.2006.01.002.
35. Gerig HJ, Schnider T, Heidegger T. Prophylactic percutaneous transtracheal catheterisation in the management of patients with anticipated difficult airways: a case series. *Anaesthesia* 2005; 60(8):801–5. doi: 10.1111/j.1365-2044.2005.04219.x.
36. Heidegger T, Gerig HJ, Henderson JJ. Strategies and algorithms for management of the difficult airway. *Best Pract Res Clin Anaesthesiol* 2005; 19(4):661–74. doi: 10.1016/j.bpa.2005.07.001.
37. Jeske H-C, Borovicka J, Goedecke A von, Meyenberger C, Heidegger T, Benzer A. The influence of postural changes on gastroesophageal reflux and barrier pressure in nonfasting individuals. *Anesth Analg* 2005; 101(2):597–600. doi: 10.1213/01.ANE.0000159378.97509.8D.
38. Kinzl JF, Knotzer H, Traweger C, Lederer W, Heidegger T, Benzer A. Influence of working conditions on job satisfaction in anaesthetists. *Br J Anaesth* 2005; 94(2):211–5. doi: 10.1093/bja/aei035.
39. Saal D, Nuebling M, Husemann Y, Heidegger T. Effect of timing on the response to postal questionnaires concerning satisfaction with anaesthesia care. *Br J Anaesth* 2005; 94(2):206–10. doi: 10.1093/bja/aei024.
40. Schaeuble J, Heidegger T, Gerig HJ, Ulrich B, Schnider TW. Comparison of etomidate and propofol for fiberoptic intubation as part of an airway management algorithm: a prospective, randomized, double-blind study. *Eur J Anaesthesiol* 2005; 22(10):762–7. doi: 10.1017/s0265021505001262.
41. Heidegger T, Minto CF, Schnider TW. Modern concepts in pharmacokinetics of intravenous anesthetics. *Anaesthesist* 2004; 53(1):95–110. doi: 10.1007/s00101-003-0628-2.
42. Heidegger T, Gerig HJ. Unanticipated difficult airway: what about emergency cases? *Anesthesiology* 2004; 101(6):1484–5; author reply 1485. doi: 10.1097/00000542-200412000-00047.
43. Heidegger T, Gerig HJ. Algorithms for management of the difficult airway. *Curr Opin Anaesthesiol* 2004; 17(6):483–4. doi: 10.1097/00001503-200412000-00004.
44. Heidegger T, Nuebling M, Germann R, Borg H, Flückiger K, Coi T et al. Patient satisfaction with anesthesia care: information alone does not lead to improvement. *Can J Anaesth* 2004; 51(8):801–5. doi: 10.1007/BF03018452.
45. Leemann B, Heidegger T, Grossebacher R, Schnider T, Gerig HJ. A severe complication after laser-induced damage to a transtracheal catheter during endoscopic laryngeal microsurgery. *Anesth Analg* 2004; 98(6):1807–8. doi: 10.1213/01.ANE.0000117144.16826.61.
46. Leemann B, Heidegger T, Grossebacher R, Schnider T, Gerig HJ. Should CO2 laser jet ventilation be abandoned? *Anesth Analg* 2004; 99(6):1882. doi: 10.1213/01.ANE.0000140810.31194.26.
47. Tiefenthaler W, Hohlrieder M, Hauffe H, Heidegger T, Benzer A. Proposal for a different ranking of anaesthesia journals. *Anaesthesia* 2004; 59(8):831–2. doi: 10.1111/j.1365-2044.2004.03886.x.
48. Heidegger T, Gerig HJ, Keller C. Comparison of algorithms for management of the difficult airway. *Anaesthesist* 2003; 52(5):381–92. doi: 10.1007/s00101-003-0501-3.
49. Heidegger T, Gerig HJ, Ulrich B, Schnider TW. Structure and process quality illustrated by fiberoptic intubation: analysis of 1612 cases. *Anaesthesia* 2003; 58(8):734–9. doi: 10.1046/j.1365-2044.2003.03200.x.
50. Heidegger T, Nuebling M, Husemann Y. Consistency in anaesthetic care: patients' attitudes matter. *BMJ* 2003; 327(7420):931. doi: 10.1136/bmj.327.7420.931-b.
51. Heidegger T, Husemann Y, Nuebling M, Morf D, Sieber T, Huth A et al. Patient satisfaction with anaesthesia care: development of a psychometric questionnaire and benchmarking among six hospitals in Switzerland and Austria. *Br J Anaesth* 2002; 89(6):863–72. doi: 10.1093/bja/aef277.
52. Heidegger T, Gerig H. Anticipated difficult airway: the role of fiberoptics. *Anesth Analg* 2002; 95(4):1124; author reply 1125.
53. Gerig HJ, Heidegger T, Ulrich B, Grossebacher R, Kreienbuehl G. Fiberoptically-guided insertion of transtracheal catheters. *Anesth Analg* 2001; 93(3):663–6. doi: 10.1097/00000539-200109000-00026.

54. Heidegger T, Gerig HJ, Ulrich B, Kreienbühl G. Validation of a simple algorithm for tracheal intubation: daily practice is the key to success in emergencies--an analysis of 13,248 intubations. *Anesth Analg* 2001; 92(2):517–22. doi: 10.1097/00000539-200102000-00044.
55. Heidegger T, Waidelich E, Kreienbuehl G. Anomalous origin of the left coronary artery: discovery during an ambulatory surgical procedure in a 3-month old, previously healthy infant. *Paediatr Anaesth* 2001; 11(1):109–11. doi: 10.1046/j.1460-9592.2001.00520.x.
56. Heidegger T, Kreienbühl G. Unsuccessful resuscitation under hypotensive epidural anesthesia during elective hip arthroplasty. *Anesth Analg* 1998; 86(4):847–9. doi: 10.1097/00000539-199804000-00031.
57. Heidegger T, Heim C. Esophageal detector device: not always reliable. *Ann Emerg Med* 1996; 28(5):582. doi: 10.1016/s0196-0644(96)70125-7.
58. Sparr HJ, Luger TJ, Heidegger T, Putensen-Himmer G. Comparison of intubating conditions after rocuronium and suxamethonium following "rapid-sequence induction" with thiopentone in elective cases. *Acta Anaesthesiol Scand* 1996; 40(4):425–30. doi: 10.1111/j.1399-6576.1996.tb04464.x.